

Northern Ireland Environment Agency  
Resource Efficiency Division



Our reference: **DAERA/23-129**

[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]  
[REDACTED]

Regulation Unit  
Klondyke Building  
Gasworks Business Park  
Malone Lower  
Belfast  
BT7 2JA  
Tel: 02890569742  
Email: [WRU.Queries@daera-ni.gov.uk](mailto:WRU.Queries@daera-ni.gov.uk)

28 April 2023

Dear [REDACTED] Beth

#### **Environmental Information Regulations 2004**

With regard to your request for information received by the Department on 05/04/2023 and the further clarification via email exchange on 06/04/2023 that sought:

Complete dataset for recycled plastic packaging exported outside of the UK by exporters with a registered office and / or primary place of business in Northern Ireland between January 2017 and January 2023 (inclusive).

I can advise that the Department has completed its search and can confirm that it holds all of the information you requested. I have attached this information, in Excel spreadsheet format as requested, as Appendix A.

If you require any clarification, believe that any part of your request has been overlooked, misunderstood or misinterpreted, please contact me in the first instance to see if it is a matter that can be resolved.

If you are unhappy with the manner in which your request for information has been handled or the decision to release/withhold information, you have the right to request a formal review by the Department. If you wish to do so, please contact The Review Section either by e-mailing [daera.informationmanager@daera-ni.gov.uk](mailto:daera.informationmanager@daera-ni.gov.uk) or by post at The Department of Agriculture, Environment and Rural Affairs, Data Protection &

*Sustainability at the heart of a living, working, active landscape valued by everyone.*

If you are deaf or have a hearing difficulty you can contact the Department via the Next Generation Text Relay Service by dialling 18001 + telephone number.



Information Management Branch, Floor 2, Ballykelly House, 111 Ballykelly Road, Ballykelly, Limavady BT49 9HP, within two months from the date of this letter.

If after such an internal review you are still unhappy with the response, you have the right to appeal to the Information Commissioner at Wycliffe House, Water Lane, Wilmslow, CHESHIRE SK9 5AF, who will undertake an independent review of the Department's decision.

Yours sincerely,



  
**Head of Regulation Unit**

*Sustainability at the heart of a living, working, active landscape valued by everyone.*

If you are deaf or have a hearing difficulty you can contact the Department via the Next Generation Text Relay Service by dialling 18001 + telephone number.

