RIVER BASIN MONITORING PLAN

WATER FRAMEWORK DIRECTIVE 2ND CYCLE CLASSIFICATION SUMMARY

2015-2021

Heavily Modified Water Body – Belfast Harbour

31/05/2015









CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

WFD COASTAL WATER BODY

MONITORING & ASSESSMENT TEAM

Marine Environment Division

BELFAST HARBOUR

Water body Information

- River Basin District: North Eastern
- Water body type: CW8
- Water Body Code: UKGBNI6NE180
- Water body characteristics: Euhaline, mesotidal, sheltered
- Water body area: 3.44 km²
- Heavily Modified Water Body: Yes
- 2021 Classification Objective: Moderate Ecological Potential

2015 CLASSIFICATION ECOLOGICAL PASS/FAIL 2021 PASS

Department of the Environment www.doeni.gov.uk Marine Environment Division RIVER BASIN MANAGEMENT PLAN WFD COASTAL WATER BODY CLASSIFICATION Belfast Harbour Version Date: 31/05/2015 MONITORING & ASSESSMENT TEAM



Figure 1: Waste water treatment pressures and monitoring points within Belfast Harbour (Coastal Water).



Version 31/05/2015

Marine Environment Division

MONITORING & ASSESSMENT TEAM

WFD COASTAL WATER BODY

CLASSIFICATION


Table 1: Parameters for which classification systems are available and have been used in this round of classification. Some biological assessment tools are not suitable for all water bodies due to habitat type.

Ecological Quality Elem	ent		
Main Element	Sub-Element	Applied	Comment
Phytoplankton	Chlorophyll Biomass Index	✓	
	Elevated Taxa Count Index	✓	
Macroalgae (seaweed)	Reduced Species List	✓	
Angiosperms	Seagrass	×	Tool Not Applicable
Benthic Invertebrates	Infaunal Quality Index	✓	
	Imposex	×	No suitable sites
Physico-chemical	General Conditions		
(water)	Dissolved Oxygen	✓	
	Nutrients	✓	
	Specific Pollutants (Annex VIII subs)	~	
Hydromorphological	SEPA Rapid Designation	✓	
Quality Elements	TraC MIMAS	✓	
Chemical Status			
Priority Hazardous Substances (Annex X)	Annex X Substances	✓	

Table 2: Sampling frequency for each quality element.

Monitoring Level: Surveillance

Quality Elements		Data years contributing to classification	No. of sites/samples
Phytoplankton	Chlorophyll Biomass Index	2009-2014	6 sites 88 samples
Гпуюріанкіон	Elevated Taxa Count Index	2009-2014	6 sites 63 samples
Benthic Invertebrates	Infaunal Quality Index	2011-2013	6 sites 20 samples
Physico-chemical			
Nutrients		2007-2008, 2010- 2015	5 sites 58 samples
Dissolved Oxygen (DO)		2007-2015	
Other polluting substances	s (Annex VIII)	2010-2014	1 site
Hydromorphology		2007	
(Annex X)		2010-2014	1 site



Good Fail

None recorded Established Impacting

Figure 2: Overall classification of Belfast Harbour (Coastal Water).

Chemical Status
Priority hazardous substances (Annex X)

High Impact Invasive Species



WFD COASTAL WATER BODY
CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

ANNEX A: Classification of Biological Quality Elements

QE: Phytoplankton

QE phytoplankton assessment (+ Data confidence): MODERATE (66.8%)

Classification tools:

- 1. Chlorophyll biomass index (90%ile)
- 2. Elevated taxa count index

Data store (classification): M:\Projects 14\Phycology 2014\MM14-14 Phytoplankton and Chlorophyll\classification 15\NEW WAtERBODIES\Belfast Harbour connswater.xls

Data Availability (spot & continuous samples):

Phytoplankton=NA Chl = spot (2009-2014) NIEA

1. Chlorophyll Biomass Index - 90%ile (Chl μ g Γ^1) (Growing Season 1st Mar – 31st Oct)

Waterbody Chl. biomass assessment

• Thresholds:

Water Ref.		Status							
Area		High	High Good Moderate		oderate Poor				
North/Irish	ChI μg I ⁻¹	<5	5-10	10-15	15-20	>20			
Sea	EQR	0 -1.0	1.0-0.8	0.8-0.6	0.6-0.4	0.4-0.2			

Results:

90%ile	Status	Data Years	No. of Sites	No. of Samples	Data Confidence
18.87	POOR	2009-2014	8	122	62.5%

Data confidence: 62.5%

Data analysed using M:\Projects 14\Phycology 2014\MM14-14 Phytoplankton and Chlorophyll\classification 15\2015CW_Phytoplankton_CoC_tool_v10 7_UKTAG.xls

5



WFD COASTAL WATER BODY
CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

2. Elevated Taxa Count Index

Waterbody Elevated Taxa Assessment

Thresholds:

	Thresholds			
Tool	North/Irish Sea	Atlantic		
I ₁ - Individual Species Count (excl. Phaeocystis) (%)	500,000 ((cells I ⁻¹)		
I ₂ – Total Taxa Count (%)	10' (cells l ⁻¹)			
I ₃ – Elevated Biomass Count (%)	>10 (µg l ⁻¹)	>5 (μg l ⁻¹)		

• EQR Boundaries:

Class	% Exceedance	EQR
High	0-15	0.67-1.0
Good	15-30	0.33-0.67
Moderate	30-40	0.28-0.33
Poor	40-50	0.20-0.33
Bad	>50	0-0.20

Results

% Exceedence

I ₁	l ₂	l ₃	Elevated Count Mean	Status	Data Years	No. of phytoplank ton samples	Data confidence
28.0%	3%	32.0%	0.590	Moderate	2009-2014	100	67.7%

Data confidence: 93.7%

Data analysed using M:\Projects 14\Phycology 2014\MM14-14 Phytoplankton and Chlorophyll\classification 15\2015CW_Phytoplankton_CoC_tool_v10 7_UKTAG.xls

Prescence of alien/ nuisance species: none

Overall Waterbody Status

MODERATE (66.8%)



WFD COASTAL WATER BODY CLASSIFICATION Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

QE Macroalgae assessment (+ data confidence): MODERATE (93.1%)

Classification tools:

QE: Macroalgae

- 1. Reduced species list (RSL).
- 2. Macroalgal Blooming Tool (MBT) not applicable
- 3. Angiosperms not applicable
- WFD surveillance monitoring: 2010,2014
- Data Availability (classification): 2010, 2014 2 sites
- Data Store: ...\..\..\Projects 14\Phycology 2014\MM14-12 Intertidal Rocky Shore\FSL-RSL Classification update 2015 (09-14)Datasheet.xls

1. Reduced Species List

Boundaries:

	Quality Status	Bad	Poor	Moderate	Good	High
Parameter	Sub-metric quality status	0.0 - 0.2	0.21 - 0.4	0.41 - 0.6	0.61 - 0.8	0.81 – 1.0
Species richness	s (adj. for shore)	0 – 3	3 – 10	10 – 20	20 – 34	34 – 68
Proportion of Ch	Proportion of Chlorophyta (% G)		45 – 80	30 – 45	20 – 30	0 – 20
Proportion of Rhodophyta (% R)		0 – 10	10 – 25	25 – 35	35 – 45	45 – 100
Ecological Status Group ratio (ESG)		0.0 - 0.2	0.2 - 0.4	0.4 - 0.6	0.6 - 0.8	0.8 – 1.2
Proportion of op	portunists (% opp)	50 – 100	35 – 50	25 – 35	15 – 25	0 – 15

Results:

Shore		Sub-Metric EQR					RSL EQR	Status	
	Shore	Sp. richness	Adj. Sp. Richness	% G	% R	ESG	% Opp		
Edgewater 10	10	19	25.84	26.32	47.37	0.46	31.58	0.59	MOD
Edgewater 14	10	41	21.76	31.25	37.50	0.33	31.25	0.53	MOD
Clare house 14	9	16	23.04	25.00	25.00	0.45	37.50	0.50	MOD
								0.54	
Mean						+/-	MOD		

Confidence of classification: Moderate (93.1%)

- Data analysed for Confidence of Class using <u>M:\Projects 14\Phycology 2014\MM14-12 Intertidal Rocky Shore\PIRATES_v04 Class update 2015 (09-14) for UKTAG.xls</u>
- Standard Deviation (±) included with the mean EQR.
- Data QA (expert team)
- FSL not yet carried out.
- Good spatial coverage low temporal coverage.

Alien taxa: None present

QE: Angiosperms -Tool not applicable

0.05



WFD COASTAL WATER BODY
CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

QE: Benthic Invertebrates

QE Benthic invertebrate assessment (+ Data confidence): MODERATE (L)

Classification tools:

1. Infaunal Quality Index (IQI)

2. Imposex tool (VDSI) - ND

1. IQI (UKTAG v01 20140228) Water body IQI assessment:

Moderate (Low)

WFD surveillance monitoring:

• Data store: ..\Belfast Harbour (HMWB)\Belfast Harbour (HMWB) 08-13 1mm fauna data.xlsx

Benthic invertebrates
 Supporting Parameters
 Digital images
 UNICORN (NMMT) Database
 Water Quality Data Set
 AMAP Project folder

• Data Availability (classification): 6 sites, 5 & 1 reps, 3 years, Day Grab, 1 mm sieve, n= 20.

Boundaries (Intercalibrated NEAGIG):

Class	Bad	Poor	Moderate	Good	High
IQI	>0.0 ≤0.24	≥0.24 <0.44	≥0.44 <0.64	≥0.64 <0.75	≥0.75

Results:

Year	Survey	Station	n	Annual Mean	Annual ± S.D	Status
2010	-	-	ı	-	-	-
2011	MM-Benthos	BLH18	5	0.65	0.03	Good
2012	MM-Benthos, BParker12	BLH18, P18-P22	10	0.59	0.10	Moderate
2013	MM-Benthos	BLH18	5	0.71	0.04	Good
2014	MM-Benthos	BLH18	1	-	-	-
2015	MM-Benthos	BLH18	-	-	-	-
Over	Overall 6 year waterbody means			0.65(*0.59)	0.06	Moderate

^{*} IQI derived from data averaged minus Standard Deviation (see issues with tools paper). This figure is used for classification.

Data confidence: Low

- Sample analysis QA'd through NMBAQC (Good)
- Database QA'd (Good)
- No specific WFD data (single point with reps with additional spatial coverage in 2012 with 5 sites)

Alien taxa present: Crepidula fornicata (Slipper limpet)



WFD COASTAL WATER BODY
CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

ANNEX B: Classification of physico-chemical Quality Elements: General

QE: Dissolved Oxygen

Dissolved oxygen (+ data confidence): HIGH (89%)

Classification tools: Comparison of 5% ile against reference standards

Data Availability: 2010 -2015
 VALUES 2006 -2010.lnk

..\..\DO Classification 2012\Shortcut to DO FIELD

• Data Availability (spot & continuous samples): Spot

Thresholds:

WFD Status	Marine 5%ile	Objectives
HIGH	≥5.7 mg/L	All life stages of salmonids and transitional fish
GOOD	≥4.0 <5.7 mg/L	Presence of salmonids and transitional fish
MODERATE	≥2.4 <4.0 mg/L	Most life stages of non-salmonid adults
POOR	≥1.6 <2.4 mg/L	Presence of non-salmonids, poor survival of salmonids
BAD	<1.6 mg/L	No salmonids present, marginal survival of resident species

Results:

5% ile DO (mg/L)	Status	Data years	Data Quality	No. of daily averages	Data Coverage (proportion of possible months with data*)
5.77	HIGH	2010 - 2015	**		

^{*} Proportion of possible months for which data are available



Version Date:

31/05/2015

WFD COASTAL WATER BODY

CLASSIFICATION

Belfast Harbour

Marine Environment Division

MONITORING & ASSESSMENT TEAM

QE: Nutrients – N regulation

QE N regulation (+ Data confidence): BAD (66%)

Data store: ...\CofCDINth 2015-2021.xlsx
 Data Availability: 2010-2015 DIN & salinity (November to February)

• Data Availability (spot & continuous samples): spot

N regulation thresholds:

Area	Salinity range	DIN (uM) Winter mean H/G	DIN (uM) Winter mean G/M	DIN (uM) Winter mean M/P	DIN (uM) Winter mean P/B
Coastal	30-34.5	12-18	18-30	30-40.5	>40.5
(at salinity 32)					

Results:

Mean Winter DIN (uM) (Avg DIN)*	Winter DIN Daily average (n)	No. of samples (n)	No. of sites	Data Years	Data Quality	Status
60.95	0	52	5	2010-15	Database not yet QA'd	BAD

^{*}Average DIN used as r² value of regression model is less than 0.75

Confidence of data source: ..\CofCDINth.xlsx



WFD COASTAL WATER BODY CLASSIFICATION Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

ANNEX C: Classification of physico-chemical quality elements: Specific Pollutants (Annex VIII)

Specific pollutants assessment (+data confidence)	MODERATE (L)	
- F	- ()	

Classification tools: Comparison with EQS levels.

Data assessed for 2015 Update:

Suite	Parameter	Data Availability
Trace Organics	Permethrin	June 2013 – June 2014
Trace Organics	Cypermethrin	June 2013 – June 2014
Trace Organics	Toluene	Nov 2013 – Sept 2014
Trace Organics	Xylene	Nov 2013 – Sept 2014
Trace Metals	Chromium	Sept 2014 – Dec 2014

Other Pollutants - DSD list 2 (with existing EQS):

Suite	Parameter	Data Availability		

EQS failures:

Cypermethrin

Link to Data, Assessment and EQSs:

G:\MARINE\Water Framework Directive\WFD ANNUAL CLASSIFICATION UPDATE 2015\2015 QE sheets



Marine Environment Division

WFD COASTAL WATER BODY CLASSIFICATION Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

ANNEX D: Hydromorphological quality elements

Overall hydromorphology assessment HMWB-GEP

Classification tools:

1. TRaC Hydromorphology metrics

2. MIMAS

Alternative approach assessment (CIS guidance 2006): Good Ecological Potential

The hydromorphological assessment for the water body is that it could meet Good Ecological Potential (GEP) due to management and mitigation measures undertaken within the harbour.



WFD COASTAL WATER BODY
CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

ANNEX E: Chemical Status - Annex X Chemicals

Hazardous substances assessment (+data confidence)	GOOD (L)	

Classification tools: Comparison with EQS levels.

Annex X: Overall Compliance	Pass
Annex X: Pass/Fail	Pass

Data Assessed for 2015 Update:

Suite	Parameter	Data Availability
Trace Organics	Benzene	Nov 2013 – Sept 2014
Trace Organics	Nonylphenol	April 2014 – Dec 2014
Trace Organics	Octylphenol	April 2014 – Dec 2014


No EQS failures

Link to Data, Assessment and EQSs:

G:\MARINE\Water Framework Directive\WFD ANNUAL CLASSIFICATION UPDATE 2015\2015 QE sheets

Pepartment of the Environment www.doeni.gov.uk Marine Environment Division Pepartment of the CLASSIFICATION Belfast Harbour Version Date: 31/05/2015 MONITORING & ASSESSMENT TEAM

ANNEX F: Protected Areas



Protected areas within Belfast Harbour (Coastal Water).

Pepartment of the Environment What in a Environment Division RIVER BASIN MANAGEMENT PLAN WFD COASTAL WATER BODY CLASSIFICATION Belfast Harbour Version Date: 31/05/2015 MONITORING & ASSESSMENT TEAM

The following Protected Areas are situated either wholly or partly within the Belfast Harbour water body:

Natura 2000 sites (Habitats Directive and Birds Directive):

Site Name	2014 Condition Status	Designated Water Dependant habitat/species	Feature(s) not meeting objective	Reason for not meeting objective
Belfast Lough SPA	Unfavourable	Redshank	Redshank	Non marine water quality related

Nitrates Directive/ Urban Waste Water Treatment Directive Sensitive Areas:

• Inner Belfast Lough UWWTD Sensitive Area



WFD COASTAL WATER BODY
CLASSIFICATION
Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

ANNEX G: High Impact Invasive Species

QE High Impact Invasive Species assessment		GOOD
--	--	------

Ecoregion 17 Marine High Impact Invasive Species List

Phylum	Species	Р	Ε	I	Record
Chordata	Didemnum spp.				
Chordata	Styela clava				
Crustacea	Eriocheir sinensis				
Mollusca	Crassostrea gigas				
Mollusca	Crepidula fornicata		Υ		W
Phaeophyceae	Sargassum muticum				
Angiosperms	Spartina anglica				

P= Present; E= Established; I= Impacting

NB Established populations of high impact species automatically downgrade overall surface water classification from 'high' to 'good'.

Record should be inputted as follows. PO= personal observation outside of surveys; W= WFD survey; M= museum / institute records.



WFD COASTAL WATER BODY CLASSIFICATION Belfast Harbour

Version Date:

31/05/2015

MONITORING & ASSESSMENT TEAM

GLOSSARY

AFBI Agri-Food and Biosciences Institute (under contract to NIEA)

AMBI AZTI Marine Biotic Index

Annex X Annex 10 Priority Hazardous Substances

Annex VIII Annex 8 Specific Pollutants

Article 5 Characterisation, typology, pressures and impacts analysis

ASSI Area of Special Scientific Interest
CIS Common Implementation Strategy
DIN Dissolved Inorganic Nitrogen

DO Dissolved Oxygen
EQR Ecological Quality Ratio
EQS Ecological Quality Status

EUNIS European Nature Information System

FSL Full Species List

GEP Good Ecological Potential

GH Good/High

H/G/M/P/B High/Good/Moderate/Poor/Bad (Classification Status)

H/M/L High/Medium/Low (Confidence)
HMWB Heavily Modified Water Body
IQI Infaunal Quality Index

IRBD International River Basin District

LOD Limit of Detection

MBT Macroalgal Blooming Tool
MEP Moderate Ecological Potential

NB Neagh Bann
ND No data
NE North Eastern

NEAGIG North Eastern Atlantic Geographical Intercalibration Group

NIEA Northern Ireland Environment Agency

N-regs Nitrogen Regulation
NVZ Nitrate Vulnerable Zone

NW North Western

Physico-chem Physical and chemical monitoring

RSL Reduced Species List
SAC Special Area of Conservation

SEPA Scottish Environment Protection Agency

SPA Special Protected Area **TNA** Tool Not Applicable

TraC MImAS Transitional and Coastal Morphology Impact Assessment System

TUD Tool Under Development

UKAS United Kingdom Accreditation Service

UKTAG United Kingdom Technical Advisory Group for Water Framework

Directive

UNICORN Database for marine organisms.

UWWTD Urban Waste Water Treatment Directive (91/271/EEC)

VDSI Vas Deferens Sequence Index WFD Water Framework Directive