# RIVER BASIN MONITORING PLAN

# WATER FRAMEWORK DIRECTIVE 1<sup>ST</sup> CYCLE CLASSIFICATION SUMMARY

2009-2015

Coastal Water Body – Portstewart Bay 31/05/2015









WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

Version Date: 31/05/2015

MONITORING AND ASSESSMENT TEAM

# **PORTSTEWART BAY**

Water body Information

- River Basin District: Neagh Bann
- Water body type: CW2
- Water body code: UKGBNI6NB010
- Water body characteristics: Euhaline, mesotidal, exposed
- Water body area: 122.09 km²
   Heavily Modified Water Body: No
   2015 Classification Objective: Good






Figure 1: Waste water treatment pressures and monitoring points within Portstewart Bay (Coastal Water).



WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay				
Version Date:	31/05/2015			

MONITORING AND ASSESSMENT TEAM

Table 1: Parameters for which classification systems are available and have been used in this round of classification. Some biological assessment tools are not suitable for all water bodies due to habitat type.

Ecological Quality Elem	nent		
Main Element	Sub-Element	Applied	Comment
Phytoplankton	Biomass	<b>√</b>	
	Elevated Taxa Count Index	X	Insufficient Data
Macroalgae (seaweeds)	Reduced Species List	<b>-</b>	
Benthic Invertebrates	Infaunal Quality Index	X	No Data
	Imposex	×	Tool Not Applicable
Physico-Chemical	General Conditions		
(water)	-Dissolved Oxygen	✓	
	-Nutrients	✓	
	Specific Pollutants (Annex VIII subs)	×	Data Not Available
Hydromorphological	SEPA Rapid Designation	<b>√</b>	
Quality Elements	TraC MIMAS	<b>√</b>	
Chemical Status			
Priority Hazardous Substances (Annex X)	Annex X Substances	×	Data Not Available



WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay				
Version Date:	31/05/2015			

MONITORING AND ASSESSMENT TEAM

Table 2: Sampling frequency for each quality element.

Monitoring Level: Surveillance

Quality Elements		Data years contributing to classification	No. of sites/samples
Biological			
Phytoplankton	Chlorophyll Biomass Index	2009-2011	
Macroalgae (seaweed)	Reduced Species List	2012	3 sites 3 surveys
Physico-chemical			
Nutrients		2010, 2012, 2014	67 samples, 6 site plus transect
Dissolved Oxygen (DO)		2010, 2014	24 daily averages
Other polluting substances	(Annex VIII)	ND	
Hydromorphology		2007	
Water chemistry			
(Annex X)		ND	




Figure 2: Overall classification of Portstewart Bay (Coastal Water)



WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

Ponsiewan E

**Version Date:** 31/05/2015

**MONITORING & ASSESSMENT TEAM** 

ANNEX A: Classification of Biological Quality Elements

# **QE: Phytoplankton**

QE Phytoplankton assessment (+ data confidence): HIGH (74.6%)

### Classification metrics:

- 1. Chlorophyll biomass index (90%ile)
- 2. Elevated taxa count index: Not applied, insufficient data.
- 3. Seasonal succession: Not applied, insufficient data.

# 1. Chlorophyll Biomass Index

Data store: ..\Coastal data\Portstewart Bay 90th Percentile.xls

Data Availability (spot & continuous samples): spot (2009-2011) NIEA

#### Thresholds:

Water Ref.		Status						
Area		High Good Moderate		Moderate	Poor	Bad		
North/Irish	Chl μg Γ¹	<5	5-10	10-15	15-20	>20		
Sea	EQR	0 -1.0	1.0-0.8	0.8-0.6	0.6-0.4	0.4-0.2		

# Results:

90%il e	Status	Data Years	Data Quality	No. of daily average s	No. of Sites	No. of Samples	Data Confidence (proportion of possible months with data*)
3.81	HIGH	2009-2011	Low	7	4	22	33.33%

<sup>\*</sup> proportion of possible months (of growing season in years assessed) for which data are available

Data confidence: High 66.1%

Data analysed for Confidence of Classification using PUGWASH (V107).

..\2015CW Phytoplankton CoC tool v10 7 UKTAG.xls



WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay

Version Date: 31/05/2015

**MONITORING & ASSESSMENT TEAM** 

Marine Environment Division

# **QE: Macroalgae Portstewart Bay**

QE macroalgal assessment (+ data confidence): HIGH (93.3%)

### Classification tools:

Reduced species list (RSL), Macroalgal Blooming Tool (MBT) - not applicable Angiosperms - Tool not applicable

- 1. Reduced Species List (RSL)
- WFD surveillance monitoring: 2012
- Data Availability (classification): 2012 3 sites
- Data Store: M:\Projects 14\Phycology 2014\MM14-12 Intertidal Rocky Shore\FSL-RSL Classification update 2015 (09-14)Datasheet.xls

#### Boundaries:

	Quality Status		Poor	Moderate	Good	High
Param eters	Sub-metric quality status	0.0 - 0.2	0.21 - 0.4	0.41 - 0.6	0.61 - 0.8	0.81 – 1.0
Species richr	ness (adj. for shore)	0 – 3	3 – 10	10 – 20	20 – 34	34 – 68
	Chlorophyta (% G)	80 – 100	45 – 80	30 – 45	20 – 30	0 – 20
	Rhodophyta (% R)	0 – 10	10 – 25	25 – 35	35 – 45	45 – 100
Ecological Status Group ratio (ESG)		0.0 – 0.2	0.2 - 0.4	0.4 - 0.6	0.6 - 0.8	0.8 – 1.2
Proportion of opp)	opportunists (%	50 – 100	35 – 50	25 – 35	15 – 25	0 – 15

#### Results:

	Sub-Metric EQR							
Shore desc.	Sp. richness	Adj. Sp. Richness	% G	% R	ESG	% Opp	RSL EQR	Status
18	54	43.2	14.81	51.85	1.25	11.11	0.857	HIGH
16	53	49.29	18.87	47.17	0.89	11.32	0.821	HIGH
18	53	42.4	18.87	47.17	1.04	13.21	0.812	HIGH
	18 16	desc.         richness           18         54           16         53	Shore desc.         Sp. richness         Adj. Sp. Richness           18         54         43.2           16         53         49.29	Shore desc.         Sp. richness         Adj. Sp. Richness         % G           18         54         43.2         14.81           16         53         49.29         18.87	Shore desc.         Sp. richness         Adj. Sp. Richness         % G         % R           18         54         43.2         14.81         51.85           16         53         49.29         18.87         47.17	Shore desc.         Sp. richness         Adj. Sp. Richness         % G         % R         ESG           18         54         43.2         14.81         51.85         1.25           16         53         49.29         18.87         47.17         0.89	Shore desc.         Sp. richness         Adj. Sp. Richness         % G         % R         ESG         % Opp           18         54         43.2         14.81         51.85         1.25         11.11           16         53         49.29         18.87         47.17         0.89         11.32	Shore desc.         Sp. richness         Adj. Sp. Richness         % G         % R         ESG         % Opp         RSL EQR           18         54         43.2         14.81         51.85         1.25         11.11         0.857           16         53         49.29         18.87         47.17         0.89         11.32         0.821

Mean

HIGH ±0.024

# Department of the Environment WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay Version Date: 31/05/2015 MONITORING & ASSESSMENT TEAM

# Macroalgae (cont'd)

Confidence of Classification: High (93.3%)

- Data analysed for Confidence of Class using PIRATES (V04) <u>M:\Projects</u>
   14\Phycology 2014\MM14-12 Intertidal Rocky Shore\PIRATES v04 Class update
   2015 (09-14) for UKTAG.xls
- Standard Deviation (±) is included with the mean EQR.
- Data QA (expert team).
- WFD specific data (RSL completed;
- Three shores (good spatial coverage) over one years (low temporal trend assessment).

Alien taxa: Sargassum muticum, Heterosiphonia japonica

QE: Angiosperms Portstewart Bay - tool not applicable



WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

Ponsiewan Ba

Version Date: 31/05/2015

**MONITORING & ASSESSMENT TEAM** 

# QE: Benthic Invertebrates - Portstewart Bay

QE benthic invertebrate assessment (+ Data confidence): NO DATA (L)

Classification tools:

1. Infaunal Quality Index (IQI)

1. IQI (UKTAG v01 20140228) Water body IQI assessment:

No data (Low)

# WFD surveillance monitoring:

• Data store ..\Portstewart Bay water body\Portstewart Bay Water body 08-13 fauna data 1mm.xlsx

Benthic invertebrates
 Supporting Parameters
 Digital images
 UNICORN (NMMT) Database
 Water Quality Data Set
 AMAP Project folder

Data Availability (classification):
 1 site, 5 reps, 0 years , Day Grab, 1 mm sieve, n=0.

Boundaries (Intercalibrated NEAGIG):

Class	Bad	Poor	Moderate	Good	High
IQI	>0.0 ≤0.24	≥0.24 <0.44	≥0.44 <0.64	≥0.64 <0.75	≥0.75

### Results:

Year	Survey	Station	n	Annual Mean	Annual ± S.D	Status
2010	-	PSB (5)	-	1	1	-
2011	-	PSB (5)	-	-	1	-
2012	-	PSB (5)	-	-	-	-
2013	-	PSB (5)	-	-	1	-
2014	-	PSB (5)	-	-	1	-
2015	-	PSB (5)	-	-	-	-
Overa	ll 6 year waterbod	y means	0	0 (0*)	0	No data

<sup>\*</sup> IQI derived from data averaged minus Standard Deviation (see issues with tools paper). This figure is used for classification.

Data confidence: Low

- Sample analysis QA'd through NMBAQC (Good)
- Database QA'd (Good)
- No specific WFD data (single point with reps)



WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay

Version Date: 31/05/2015

Marine Environment Division

**MONITORING & ASSESSMENT TEAM** 

# ANNEX B: Classification of physico-chemical Quality Elements: General

# QE: Dissolved Oxygen

Dissolved oxygen (+ data confidence): HIGH (100%)

Classification tools: Comparison of 5% ile against reference standards

Data Availability: 2010, 2014

Data Store: ..\..\DO Classification 2012\Shortcut to DO FIELD VALUES 2006 -2010.lnk

Data Availability (spot & continuous samples): Spot

#### Thresholds:

WFD Status	Marine 5%ile	Objectives
HIGH	≥5.7 mg/L	All life stages of salmonids and transitional fish
GOOD	≥4.0 <5.7 mg/L	Presence of salmonids and transitional fish
MODERATE	≥2.4 <4.0 mg/L	Most life stages of non-salmonid adults
POOR	≥1.6 <2.4 mg/L	Presence of non-salmonids, poor survival of salmonids
BAD	<1.6 mg/L	No salmonids present, marginal survival of resident species

# Results:

5% ile DO (mg/L)	Status	Data years	Data Quality	No. of daily averages	Data Coverage (proportion of possible months with data*)
8.19	HIGH	2010,2014	**	24	22.5%

<sup>\*</sup> Proportion of possible months for which data are available



WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

**Version Date:** 31/05/2015

MONITORING & ASSESSMENT TEAM

# QE: Nutrients - N regulation

QE N regulation assessment (+ Data confidence): HIGH (100%)

• Data store: ..\.\.\DIN Final 2012\Coastal WB inc AFBI.xls

• Data Availability: 2010, 2012,2014

DIN & salinity (Nov to Feb)

Data Source (spot & continuous samples):
 spot and continuous

#### Thresholds:

Area	Salinity range	DIN (uM) Winter mean H	DIN (uM) Winter mean G	DIN (uM) Winter mean M
Coastal	30-34.5	<12	12-18	18 +
(at salinity 32)				

# Results:

Mean Winter DIN (uM) (Avg DIN)*	Winter DIN Daily average (n)	No. of samples (n)	No. of sites	Data Years	Data Quality	Status
8.84		67	6 (inc con mon)	2010, 2012, 2014	Database not yet QA'd	HIGH

<sup>\*</sup> Average DIN used as r<sup>2</sup> value of regression model is less than 0.75

Data confidence source: ..\CofCDINth.xlsx

# Department of the Environment www.doeni.gov.uk Marine Environment Division MANAGEMENT PLAN WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay Version Date: 31/05/2015 MONITORING & ASSESSMENT TEAM

ANNEX C: Classification of physico-chemical quality elements: Specific Pollutants (Annex VIII)

Classification tools: Comparison with EQS levels.

Data availability: No Data



WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

Version Date: 31/05/2015

**MONITORING & ASSESSMENT TEAM** 

# ANNEX D: Hydromorphological quality elements

Classification tools:

- 1. TRaC Hydromorphology metrics
- 2. MIMAS


# Department of the Environment Division Department of the WFD COASTAL WATER BODY CLASSIFICATION Portstewart Bay Version Date: 31/05/2015 MONITORING & ASSESSMENT TEAM

# ANNEX E: Chemical Status - Annex X Chemicals

Priority hazardous substances (+data confidence)	NO DATA
Classification tools: Comparison with EQS levels.	
Annex X: Overall Compliance	No Data
Annex X: Pass/Fail	No Data



**ANNEX F: Protected Areas** 



Protected areas in Portstewart Bay (Coastal Water).



WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

**Version Date:** 31/05/2015

**MONITORING & ASSESSMENT TEAM** 

The following Protected Areas are situated either wholly or partly within the Portstewart Bay water body:

Natura 2000 sites (Habitats Directive and Birds Directive):

Site Name 2014		Designated Water	Feature(s) not	Reason
	Condition	Dependant	meeting	for not
	Status	habitat/species	objective	meeting
				objective
Skerries and	Unfavourable	Submerged or partially	Sandbanks which	Non
Causeway		submerged seacaves;	are slightly	marine
SCI		Reefs; Sandbanks which	covered by	water
		are slightly covered by	seawater all the	quality
		seawater all the time;	time	related
		Phocoena phocoena		
Magilligan	Unfavourable	Fixed dunes with	Fixed dunes with	Non
SAC		Herbaceous vegetation	Herbaceous	marine
		('grey dunes');	vegetation ('grey dunes');	water quality
		Humid dune slacks;		related
			Humid dune	
		Embryonic shifting dunes;	slacks;	
		Dunes with Salix repens	Shifting dunes	
		ssp. argentea (Salicion	along the	
		arenariae)	shoreline with	
			Ammophila	
		Shifting dunes along the	<i>arenaria</i> ('white dunes')	
		shoreline with <i>Ammophila</i> arenaria ('white dunes')	duiles )	

**Bathing Waters Directive Beaches:** 

Beach	2011-2014 Revised Bathing Waters Classification
Magilligan	Excellent
Downhill	Excellent
Castlerock	Excellent
Portstewart	Excellent
Portrush Mill	Excellent



WFD COASTAL WATER BODY CLASSIFICATION
Portstewart Bay

Ponsiewan B

Version Date: 31/05/2015

MONITORING & ASSESSMENT TEAM

# **ANNEX G: High Impact Invasive Species**

QE High Impact Invasive Species assessment	GOOD
--	------

# **Ecoregion 17 Marine High Impact Invasive Species List**

Phylum	Species	Р	Е	I	Record
Chordata	Didemnum spp.				
Chordata	Styela clava				
Crustacea	Eriocheir sinensis				
Mollusca	Crassostrea gigas				
Mollusca	Crepidula fornicata				
Phaeophyceae	Sargassum muticum		Υ		W
Angiosperms	Spartina anglica				

P= Present; E= Established; I= Impacting

NB Established populations of high impact species automatically downgrade overall surface water classification from 'high' to 'good'.

Record should be inputted as follows. PO= personal observation outside of surveys; W= WFD survey; M= museum / institute records.



# WFD COASTAL WATER BODY CLASSIFICATION

Portstewart Bay

Version Date:

31/05/2015

**MONITORING & ASSESSMENT TEAM** 

#### **GLOSSARY**

AFBI Agri-Food and Biosciences Institute (under contract to NIEA)

AMBI AŽTI Marine Biotic Index

Annex X Annex 10 Priority Hazardous Substances

Annex VIII Annex 8 Specific Pollutants

Article 5 Characterisation, typology, pressures and impacts analysis

ASSI Area of Special Scientific Interest
DIN Dissolved Inorganic Nitrogen

DO Dissolved Oxygen

EQR Ecological Quality Ratio

EQS Ecological Quality Status

**EUNIS** European Nature Information System

FSL Full Species List

**GEP** Good Ecological Potential

<sub>G</sub>H Good/High

H/G/M/P/B High/Good/Moderate/Poor/Bad (Classification Status)

H/W/L High/Medium/Low (Confidence)
HMWB Heavily Modified Water Body
IQI Infaunal Quality Index

IRBD International River Basin District

**LOD** Limit of Detection

MBT Macroalgal Blooming Tool
MEP Moderate Ecological Potential

NB Neagh Bann ND No data NE North Eastern

NEAGIG North Eastern Atlantic Geographical Intercalibration Group

NIEA Northern Ireland Environment Agency

N-regs Nitrogen Regulation
NVZ Nitrate Vulnerable Zone

**NW** North Western

**Physico-chem** Physical and chemical monitoring

RSL Reduced Species List
SAC Special Area of Conservation

SEPA Scottish Environment Protection Agency

SPA Special Protected Area
TNA Tool Not Applicable

Trac MImAS Transitional and Coastal Morphology Impact Assessment System

**TUD** Tool Under Development

**UKAS** United Kingdom Accreditation Service

UKTAG United Kingdom Technical Advisory Group for Water Framework

Directive

**UNICORN** Database for marine organisms.

**UWWTD** Urban Waste Water Treatment Directive (91/271/EEC)

VDSI Vas Deferens Sequence Index WFD Water Framework Directive