

Department of the Environment
Marine Division

Pollution Reduction Programme Larne Lough

May 2015



Table of Contents

1.0 Introduction

2.0 Description of catchment

3.0 Objectives for Shellfish Water Protected Areas

3.1 Water Framework Directive status and shellfish classification

4.0 Monitoring Programmes for Shellfish Water Protected Areas and shellfish flesh

4.1 Monitoring of *E. coli* in shellfish flesh

4.2 Monitoring of contaminants in shellfish flesh

4.3 Guideline microbiological standard (DOE)

4.4 Water Quality Monitoring

5.0 Improvement actions carried out to date

5.1 Consenting wastewater treatment works

5.2 Current sewerage infrastructure

5.3 Investigative and remedial works carried out to date

6.0 Planned Improvement Actions

6.1 PC15 Planned upgrades to NI Water Infrastructure

6.2 Producer responsibility

7.0 Other Protection Measures

7.1 Protection measures against agricultural pollution

7.2 River Basin Management Plans – Programme of Measures

7.3 Other Designations within the Area

8.0 Regulation and Enforcement

8.1 Reporting Water Pollution Incidents

9.0 Summary of current and planned controls for Larne Lough

10.0 Further Information

1.0 Introduction

Pollution Reduction Programmes were established under Article 5 of the Shellfish Waters Directive (2006/113/EC) which stated that all member states should establish programmes in order to reduce pollution in designated shellfish waters.

As the Shellfish Waters Directive has been repealed and subsumed into the Water Framework Directive, the Pollution Reduction Programmes will be reviewed in 2018 which is in line with the midterm of the second River Basin Cycle under Water Framework Directive.

2.0 Description of catchment

Larne Lough is the smallest of the five Northern Ireland sea loughs. It is a shallow marine bay split into north and south basins and is enclosed on the eastern side by Islandmagee. The catchment area of the Lough covers an area of approximately 141km². The two major river systems in the catchment are the Larne/Inver River and the Glynn River, along with a number of smaller streams which flow into Larne Lough. The Lough is relatively shallow with mud flats to the south exposed at low tide while the north end is wider and deeper. The main land use is improved grassland, arable farming and rural/suburban development. The main town in the area is Larne, with several smaller hamlets and villages scattered around the edge of the Lough.

The Larne Lough Sanitary Survey

<http://food.gov.uk/enforcement/monitoring/shellfish/ssurveys/sanitarysurveyni>

reported that there is a general predominance for pasture and grasslands on Islandmagee on the eastern side of the Lough. The western shore is predominantly urban with areas of intertidal flats at the head of the Lough. The urban areas around the Lough are the main potential source of microbiological contamination.

Larne Lough (Mill Bay) was designated as a Shellfish Water in 1999. In 2009 the Larne Lough designation was realigned to include the four existing shellfish farms licensed by DARD. There are currently four licensed shellfish farms within Larne Lough. Only two of these areas are currently classified by the FSA in NI.

3.0 Objectives for Shellfish Water Protected Areas

The Shellfish Waters Directive was subsumed into the Water Framework Directive (2000/60/EC) in December 2013. Since then all shellfish waters are protected under

the Water Framework Directive (WFD) and are hereafter referred to as Shellfish Water Protected Areas. All Shellfish Water Protected Areas must be managed to ensure that they meet their objectives under WFD and meet at least Class B FSA in NI Classification under the EU Hygiene Regulations, whilst making progress towards the WFD guideline standard. The Food Standards Agency in NI is responsible for the implementation of Classification and monitoring programmes for shellfish for the protection of human health.

3.1 Water Framework Directive status and shellfish classification

Comprehensive monitoring programmes are in place to assess the status of Shellfish Water Protected Areas under the WFD and classification under the EU Hygiene Regulations. A suite of determinands are assessed to determine ecological status and the overall objective under WFD. Larne Lough Shellfish Water Protected Area lies between both Larne Lough Mid and Larne Lough South water bodies. Mill Bay, Shingle Bay and Island Shellfish all fall within Larne Lough South.

Table 1 shows the current WFD ecological status and future objectives for Larne Lough Mid and South water bodies. Both Larne Lough Mid and Larne Lough South will meet their 2015 WFD Objectives of Good Ecological Status.

Table 1 WFD Ecological Status and Objectives for Larne Lough Mid and South

| Water body | 2013 Status | 2015 Objective | 2021 Objective | 2027 Objective |
|--------------------------|----------------------------|---|---|---|
| Larne Lough Mid | Good Ecological Status | Good Ecological Status & Class B under Food Hygiene Regulations | Good Ecological Status & Class B under the Food Hygiene Regulations | Good Ecological Status & Class B under the Food Hygiene Regulations |
| Larne Lough South | Moderate Ecological Status | Good Ecological Status & Class B under the Food Hygiene Regulations | Good Ecological Status & Class B under the Food Hygiene Regulations | Good Ecological Status & Class B under the Food Hygiene Regulations |

Table 2 shows the Classification status at Larne Lough Mid and South under WFD (colour) and the licensed shellfish beds under the EU Hygiene Regulations (text).

Table 2 Classification status of shellfish production areas in Larne Lough

| | 2014 | 2013 | 2012 | 2011 | 2010 | 2009 |
|---|------------------|------------------|------|------|------------------|------|
| Millbay (Mussels) (AFFNI 21B – L5) | B | B | B | B | B | B |
| Millbay (Oysters) (AFFNI 21B – L5) | A Provisional | A Provisional | B | B | B | B |
| Island Shellfish (AFFNI 21A – L1) | B | B | B | B | B | B |
| Shingle Bay (AFFNI 88 – L3) | A | A Provisional | B | B | A Provisional | A |

Provisional classification is given when a new bed is classified based on a limited number of samples or when a bed is borderline compliant with criteria of a classification.

Key to WFD Status

| | | | |
|---|----------|---|-------------------------------|
|  | High | | |
|  | Good |  | Good Ecological Potential |
|  | Moderate |  | Moderate Ecological Potential |
|  | Poor |  | Poor Ecological Potential |
|  | Bad |  | Bad Ecological Potential |

4.0 Monitoring Programmes for Shellfish Water Protected Areas and shellfish flesh

4.1. Monitoring of *E. coli* in shellfish flesh.

FSA conducts monthly analysis of *E. coli* in shellfish flesh as part of its Official Control monitoring. This analysis is used to classify the quality of shellfish production areas. The classification determines the level of post-harvest treatment required before placing shellfish product from that area on the market. The FSA in NI's Official Control monitoring programme is solely for the purpose of classification of shellfish production areas, it is not intended as an indication of the end product

standard of shellfish. Responsibility for ensuring the safety of shellfish which are placed on the market for human consumption rests solely with the food business operator (FBO). www.food.gov.uk/enforcement/monitoring/shellfish/nibiotoxin#toc-3

Table 3. Shellfish classification and post harvest treatment

| Classification of harvesting areas | | |
|------------------------------------|--|--|
| Category | E.coli per 100g flesh and intravalvular liquid | Post-harvest treatment required |
| A | <230 | May go directly for human consumption if end product standard met. |
| B | 90% results <4600 Remaining 10% results <46000 100% results <46000 | Must be subject to purification or cooked by an approved method. |
| C | <46,000 | Must be subject to relaying for a period of at least 2 months or cooked by an approved method. |
| | >46,000 E.coli/100g of flesh | Prohibited. Harvesting not permitted. |

4.2 Monitoring of contaminants in shellfish flesh

Annual analysis of a suite of contaminants in shellfish flesh is carried out in seven sea loughs/areas in Northern Ireland in which shellfish are cultivated and harvested. This is a joint programme of monitoring currently in place with FSA in NI and DOE to meet both organisations' requirements under EU legislative requirements and OSPAR (Oslo/Paris convention (*for the Protection of the Marine Environment of the North-East Atlantic*)) and to enable DOE to determine compliance with a range of environmental obligations relating to Shellfish Water Protected Areas.

The suite of contaminants tested for includes some trace metals, lipids, polyaromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), organochlorinated pesticides and dioxins. See Annex A.

4.3 Guideline microbiological standard (DOE)

The shellfish flesh monitoring programme is operated by FSA in NI. The analyses in shellfish flesh are carried out by Northern Ireland Public Health Laboratories and results are reported back to both DOE and FSA in NI.

In addition to being used for the Official Control monitoring for the microbiological shellfish classification carried out by the FSA in NI, this information is also used by DOE to determine the status of Shellfish Water Protected Areas against a guideline microbiological standard for shellfish flesh which is set in the Water Framework Directive (Priority Substances and Classification) (Amendment) Regulations (Northern Ireland) 2015. This guideline standard requires that 75% of samples contain ≤ 230 *E. coli* per 100ml of shellfish flesh and intervalvular liquid.

Table 4 shows the status of Larne Lough against the WFD Guideline standard.

Table 4 Larne Lough – guideline microbiological standard

| Shellfish Water Protected Area | 2014 | 2013 | 2012 | 2011 | 2010 | 2009 |
|--------------------------------|------|------|------|------|------|------|
| Larne Lough | | | | | | |
| Number of samples | 34 | 36 | 31 | 35 | 37 | 87 |


| | |
|--|------------------------|
| | Met Guideline |
| | Did not Meet Guideline |

4.4 Water Quality Monitoring

In addition to the shellfish flesh monitoring, DOE carries out a water quality monitoring programme on a quarterly basis looking at bacteria and some metal and organic pollutants. These are linked to the specific pollutant monitoring programme within WFD catchment areas.

Where Shellfish Water Protected Areas are at risk of failing to meet objectives, additional investigative monitoring is undertaken of the protected areas, rivers and any other potential sources of pollution identified.

Figure 1. Licensed shellfish production areas in Larne Lough, showing water sampling points, Shellfish Water Protected Area and potential point pollution sources



This is Crown Copyright and is reproduced with the permission of Land & Property Services under delegated authority from the Controller of Her Majesty's Stationery Office, © Crown copyright and database right 2013, DMOU 206.

0 0.25 0.5 0.75 1
Kilometers

Key – Larne Lough

1: Newpark WwPS

2: Magheramorne WwPS

3: Magheramorne WwTW

4: Millbay WwPS

5.0 Improvement actions carried out to date

5.1 Consenting wastewater treatment works

NIEA is responsible for regulating NI Water and sets the relevant discharge standards in respect of Waste Water Treatment Works (WWTW).

Shellfish Water Protected Areas must meet their WFD water quality objective and meet at least Class B FSA in NI shellfish classification status whilst making progress towards the WFD guideline standard.

In order to meet these requirements, the microbiological impact of any new outfall should not result in more than 230 colony forming units (cfu) of *E. coli* on more than 25% of occasions within the Shellfish Water Protected Area.

Marine modelling is carried out by NI Water at all new or upgraded WWTW discharging to, or in the vicinity of a Shellfish Water Protected Area. The model must demonstrate compliance with the microbiological standards required in order to protect the Shellfish Water Protected Area. Restriction on the number of spills from intermittent discharges is also required.

5.2 Current sewerage infrastructure

Magheramourne Waste Water Treatment Works (WWTW) is the only WWTW discharging within 2km of the Shellfish Water Protected Area. It has secondary treatment and deals with a PE of 85 with final effluent discharging into Larne Lough just south of Magheramourne village. However the urban areas around the Lough are the main potential source of microbiological contamination. Up until 2006 untreated sewage discharged from Larne Town directly into the main shipping channel at Sandy Point. The new Larne WWTW treats a PE of 28,200 and provides secondary treatment and UV disinfection. The final effluent is discharged at the entrance to Larne Harbour.

5.3 Investigative and remedial works carried out to date

The treated effluent from the WWTWs at Ballystrudder and Ballycarry previously discharged directly to Larne Lough. These discharges have been pumped to a new outfall at Cloughfin Bay since early 2012. Only storm water from these works is now discharged to the Lough.

6.0 Planned Improvement Actions

The Price Control (PC) process is the mechanism through which NI Water is funded in order to deliver its priorities and plans for the period of the Price Control. PC13 covers 2 years running from April 2013 to March 2015. The next planned round of investment falls under PC 15 which runs for 6 years from April 2015 to March 2021.

6.1 PC15 Planned upgrades to NI Water Infrastructure

There are no further upgrades or improvements that have been identified for Larne WWTW, Ballystrudder WWTW or Ballycarry WWTW. Monitoring of all CSOs within 2km of Shellfish Water Protected Areas is to be introduced by NI Water during the PC15 period.

6.2 Producer responsibility

Shellfish producers and harvesters have obligations under the EU Hygiene Regulations to ensure the quality of the product which they place on the market for human consumption. Producers should have an understanding and awareness of the environment in which product is being produced. Producers should use, where possible, their own testing regimes to inform business management decisions. It is acknowledged that in order to make sound decisions, producers need access to appropriate and timely information relating to the quality of the shellfish water and anything which has the potential to impact upon it.

7.0 Other Protection Measures

7.1 Protection measures against agricultural pollution

The Nitrates Directive (91/676/EEC) requires EU Member States to set out action programmes to reduce nitrates from agricultural sources entering the aquatic environment and address both high nitrate levels in surface and groundwaters and eutrophication in surface waters. The Directive allows Member States to either designate discrete areas of land as Nitrate Vulnerable Zones (NVZs) or establish an action programme to be applicable to the whole territory.

Northern Ireland has a widespread problem of eutrophication of surface waters and a large proportion of this nutrient enrichment is attributable to agriculture. Following a scientific report and extensive consultation in 2004 and 2005, the total territory of

Northern Ireland was established as the area to which an action programme would be applied.

In Northern Ireland the action programme is currently set out in the Nitrates Action Programme Regulations (Northern Ireland) 2010 (NAP Regulations). The action programme establishes closed periods for the application of organic and inorganic fertilisers, a livestock manure application limit of 170kg nitrogen/ha/year, a requirement for sufficient slurry storage capacity on farms and controls on the management of manure storage and manure and chemical fertiliser application. As well as helping to address eutrophication and nitrate levels in water bodies, the action programme measures can improve bacteriological quality in river catchments and also in downstream shellfish waters. The action programme is supported by a water quality monitoring programme and guidance and training offered to farm businesses. The aims of the action programme are also supported by other legislation concerning agricultural nutrient management – the Control of Pollution (Silage, Slurry and Agricultural Fuel Oil) Regulations (Northern Ireland) 2003 (SSAFO Regulations) and the Phosphorus (Use in Agriculture) Regulations (Northern Ireland) 2006 (the Phosphorus Regulations). The NAP Regulations are the joint responsibility of the Department of the Environment (DOE) and the Department of Agriculture and Rural Development (DARD). The SSAFO and Phosphorus Regulations are the responsibility of DOE.

The three sets of Regulations apply to all farm businesses in Northern Ireland and are enforced by the Northern Ireland Environment Agency (NIEA). Compliance with the NAP Regulations is also one of the Cross-Compliance Statutory Management Requirements, therefore farmers claiming the single farm payment or other direct aid payments risk a financial penalty if they do not comply with them. Non-compliance with the measures has the potential to cause harm to the environment and human health and to negatively impact upon Shellfish Water Protected Areas. Breaches of these controls should therefore be reported to NIEA through the NIEA Water Pollution Hotline (0800 80 70 60), so that they can be investigated.

Table 5 Summary of the closed spreading periods for fertilisers

| Fertiliser type | Closed period starts | Closed period ends |
|---|-----------------------------|---------------------------|
| Chemical nitrogen fertiliser | Midnight 15 September | Midnight 31 January |
| Slurry, poultry litter and other organic manures, e.g. sewage sludge and abattoir waste | Midnight 15 October | Midnight 31 January |
| Farmyard manure | Midnight 31 October | Midnight 31 January |

In addition to these restrictions, other general restrictions apply to the application of fertilisers to land. The following is a summary of some of the key restrictions.

- Application rates of fertilisers are capped, e.g. no more than 50m³/ha of organic manures to spread at one time, with a minimum of three weeks between applications.
- All fertilisers, Chemical and organic, must not be applied:
 - On waterlogged soils, flooded land or land liable to flood;
 - On frozen ground or snow covered ground;
 - If heavy rain is falling or forecast in the next 48 hours;
 - On steep slopes where there is a risk of water pollution
- Organic manures and dirty water must not be applied within:
 - 20m of lakes;
 - 50m of a borehole, spring or well;
 - 250m of a borehole used for a public water supply;
 - +10m of a waterway other than lakes; this distance may be reduced to 3m where slope is less than 10% towards the waterway and where organic manures are spread by bandspreaders, trailing shoe, trailing hose or soil injection or where adjoining area is less than 1 ha in size or not more than 50m in width.

Further information is available at:

www.doeni.gov.uk/niea/summary-of-nitrates-action-programme-2015-18-and-phosphorus-regulations.pdf

7.2 River Basin Management Plans – Programme of Measures

A North Eastern River Basin Management Plan which covers the period 2009-2015 was published in December 2009, as required by the Water Framework Directive. It identifies where the water environment needs to be protected or improved, the timeframe to make these improvements and how that can be achieved through a Programme of Measures.

The water environment in the North Eastern River Basin District is being managed at a local level through Local Management Area action plans, including the Larne Lough Local Management Area action plan.

Catchment Stakeholder groups provide forums for stakeholders to discuss water management issues in their local area and to work in partnership to address them.

A draft update to the North Eastern River Basin Management Plan is available for consultation. The plans set out the existing and proposed measures that are needed to improve water quality www.doeni.gov.uk/niea/2015-wfd-north-eastern-river-basin-management-plan

A second cycle North Eastern River Basin Management Plan will be published in December 2015.

The Local Management Area Plan and 2013 update for Larne Lough can be found at: www.doeni.gov.uk/niea/larne-lough-swmi-joined.pdf

7.3 Other Designations within the Area

Habitats Directive (92/43/EEC) - There are no water dependant Special Areas of Conservation in the Larne Lough catchment area.

Birds Directive (79/409/EEC) – There is 1 Special Protection Area – Larne Lough, incorporating Swan Island.

Bathing Waters Directive (76/160/EEC) – There are no identified bathing waters in the Larne Lough Catchment.

8.0 Regulation and Enforcement

In addition to the measures set out in this Pollution Reduction Programme, DOE will investigate any pollution incident and/or deterioration in water quality. Formal arrangements are in place between DOE, NI Water and the FSA in NI to investigate and respond to incidents relating to water quality at Shellfish Water Protected Areas. This includes responding to requests for investigation of FSA in NI microbiological official control sample results which are outwith the classification of the shellfish production area and any pollution incident in the proximity of a Shellfish Water Protected Area.

It is an offence under the terms of the Water (Northern Ireland) Order 1999 to cause pollution to a waterway. Pollution incidents will be investigated in accordance with the DOE Enforcement and Prosecution Policy, which can be found at:

www.doeni.gov.uk/niea/niea_enforcement_policy.pdf.

8.1 Reporting Water Pollution Incidents

Any incident should be reported to the **NIEA Water Pollution Hotline**

0800 80 70 60



9.0 Summary of current and planned controls at Larne Lough

| Current Control | Responsible Group |
|---|--------------------------|
| Water Framework Directive ecological objectives | DOE |
| <i>E. coli</i> in shellfish flesh monitoring and classification programme | FSA in NI |
| UWWT Directive Sensitive Area Review | DOE |
| Chemical contaminant monitoring in shellfish flesh | DOE & FSA in NI |
| Upgrade of Larne WWTW | NI Water |
| Upgrade of sewerage infrastructure around Larne Lough | NI Water |
| Nitrates Action Programme control of fertiliser use across Northern Ireland | DOE & DARD |
| SSFAO Regulations and Phosphorus Regulations | DOE |
| River basin management plan – programme of measures | DOE |
| Planned Control | Responsible Group |
| Monitoring of CSOs within 2km of Shellfish Water Protected Area | NI Water |

10.0 Further Information:

Further Information is available at:

www.doeni.gov.uk

Or by Emailing :

MarineDivision.InfoRequests@doeni.gov.uk

Annex A

Contaminants in shellfish flesh monitored by DOE and FSA in NI

| Metals | Polyaromatic Hydrocarbons |
|---------------|----------------------------------|
| Arsenic | Naphthalene |
| Silver | Phenanthrene |
| Cadmium | Anthracene |
| Chromium | Fluoranthene |
| Copper | Pyrene |
| Iron | Benzo (a) Anthracene |
| Mercury | Chrysene |
| Nickel | 5 Methyl Chrysene |
| Lead | Benzo (b) Fluoranthene |
| Zinc | Benzo (k) Fluoranthene |
| | Benzo (j) Fluoranthene |
| | Benzo (c) Fluorene |
| | Benzo (a) Pyrene |
| | Indeno (123,cd) Pyrene |
| | Dibenzo (a,h) Anthracene |
| | Benzo (ghi) Perylene |
| | Dibenzo (a,l) Pyrene |
| | Dibenzo (a,e) Pyrene |
| | Dibenzo (a,i) Pyrene |
| | Dibenzo (a,h) Pyrene |
| | Cylcopenta (c,d) Pyrene |

| Organochlorinated Pesticides | Polychlorinated Biphenyls |
|-------------------------------------|----------------------------------|
| Aldrin | PCB 28 |
| Dieldrin | PCB 52 |
| Endrin | PCB 101 |
| HCB | PCB 105 |
| Heptachlor | PCB 118 |
| a HCH | PCB 138 |
| b HCH | PCB 153 |
| g HCH | PCB 156 |
| Oxychlorane | PCB 180 |
| cis Heptachlor Epoxide | PCB 77 |
| trans Heptachlor Epoxide | PCB 81 |

| | |
|-------------|---------|
| a Chlordane | PCB 126 |
| g Chlordane | PCB169 |
| op DDT | PCB 114 |
| pp DDE | PCB 118 |
| pp DDT | PCB 123 |
| pp TDE | PCB 157 |
| | PCB 167 |
| | PCB 189 |

| Dibenzo-p-dioxins (PCDDs) | Dibenzofurans (PCDFs) |
|----------------------------------|------------------------------|
| 2,3,7,8-TCDD | 2,3,7,8-TCDF |
| 1,2,3,7,8-PeCDD | 1,2,3,7,8-PeCDF |
| 1,2,3,4,7,8-HxCDD | 2,3,4,7,8-PeCDF |
| 1,2,3,6,7,8-HxCDD | 1,2,3,4,7,8-HxCDF |
| 1,2,3,7,8,9-HxCDD | 1,2,3,6,7,8-HxCDF |
| 1,2,3,4,6,7,8-HpCDD | 1,2,3,7,8,9-HxCDF |
| OCDD | 2,3,4,6,7,8-HxCDF |
| | 1,2,3,4,6,7,8-HpCDF |
| | 1,2,3,4,7,8,9-HpCDF |
| | OCDF |



DOE Marine Division
17 Antrim Road
Tonagh
Lisburn
BT28 3AL

Water Pollution Hotline: 0800 807060
Email: MarineDivision.InfoRequests@doeni.gov.uk